according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

09.09.15 Article No. Issue date: (09.09.15) 1 / 10 Version Page

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

50 065 - Final varnish Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de Schmincke-lab:

mo-th 8.00-16.30, fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Information

Emergencycall Berlin (24h - counseling in german and english)

Phone # +49 (0) 30-30686790

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

Asp. Tox. 1; H304 May be fatal if swallowed and enters airways.

Eye Irrit. 2; H319 Causes serious eye irritation. Flam. Liq. 3; H226 Flammable liquid and vapour.

STOT RE 1; H372 Causes damage to organs through prolonged or repeated exposure.

STOT SE 3; H335 May cause respiratory irritation.

STOT SE 3; H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling (CLP)









Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eve irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Safety precautions

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P260 Do not breathe vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/.. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

Repeated exposure may cause skin dryness or cracking. (EUH066)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterization

White spirit Alcohols acrylic resin aldehyde resin Stand oil

CAS-Number
EINECS / ELINCS / NLP
EU index number
Customs tariff number
REACH registration No.
RTECS-no.
Hazchem-Code
CI-Number

3.2 Mixtures

Substance 1

naphtha (petroleum), hydrodesulphurized heavy: < 50 % REACH registration No.: 01-2119458049-33-xxxx

Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq. 3; H226 / STOT RE 1; H372 / STOT SE 3; H336 / EUH066

Substance 3

butan-1-ol: < 3,0 % CAS-Number: 71-36-3

REACH registration No.: 01-2119484630-38-xxxx

Classification according to EC regulation 1272/2008 (CLP): Acute Tox. 4; H302 / Eye Dam. 1; H318 / Flam. Liq. 3; H226 / STOT SE 3; H335 / STOT SE 3; H336 / Skin Irrit. 2; H315

Substance 2

solvent naphtha (petroleum), light, aromatic: < 20 %

CAS-Number: 64742-95-6

REACH registration No.: 01-2119455851-35

Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq. 3; H226 / STOT SE 3; H335 / STOT SE 3; H336 / EUH066

Substance 4

lavender oil: 0,1 - 0,2 %

Classification according to EC regulation 1272/2008 (CLP): Aquatic Chronic 2; H411 / Skin Irrit. 2; H315 / Skin

Sens. 1; H317

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

 Article No.
 Issue date:
 09.09.15

 Version
 5 (09.09.15)
 Page
 3 / 10

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

After eve contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Do NOT induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

strong water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Hints on joint storage Storage class Further details

Protect from frost and exposure to sun.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

naphtha (petroleum), hydrodesulphurized heavy

[DEU	WEL	300,000	mg/kg	-
71	-36-3	butan-1-ol			
[DEU	WEL	100,000	mL/m³	1(I); DFG, Y
	DEU	WEL	310,000	mg/m³	1(I); DFG, Y
64	-17-5	ethanol			
	DEU	WEL	500,000	mL/m³	-
	DEU	WEL	960,000	mg/m³	2(II); DGF; Y
	USA	PEL (US)	1.000,000	ppm	8h (long term)
	USA	PEL (US)	1,900,000	ma/m³	8h (long term)

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protective gloves

Qualified materials: Nitrile rubber

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

Goggles

Body protection

Wear suitable protective clothing.

General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Physical state liquid

Colour yellowish, clear Odour white spirit

min max

Initial boiling point and

boiling range

Melting point/freezing point

Flash point/flash point range 40 °C 45 °C

Flammability

Ignition temperature

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

Auto-ignition temperature

Explosion limits Refraction index

Partition coefficient: n-octanol/water

Explosive properties

Vapour pressure

Density 0,89 g/ml 20 °C

PH value

Viscosity dynamic of Viscosity dynamic up to

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Protect from frost and exposure to sun.

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

Toxicological tests

naphtha (petroleum), hydrodesulphurized heavy

oral	LD50	Rat	2000,000	mg/kg	-
dermal	LD50	Rat	2000,000	mg/kg	-

Toxicological tests

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

Article No. Version		5 (09.0	09.15)		09.0 6 /	09.09.15 6 / 10	
71-36-3	butan-1	-ol					
	oral	LD50	Rat	790,000	mg/kg	-	

Rat

Rabbit

Toxicological tests

64-17-5

ethanol

LC50

LD50

inhalative

dermal

oral	LD50	Rat	5000,000	mg/kg	-
inhalative	LC50	Rat	1800,000	mg/L	4h
dermal	LD50	Rabbit	10000,000	mg/kg	-

8000,000

3400,000

 ${\rm mg/L}$

mg/kg

(4h)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

No data available

Water Hazard Class 2

WGK catalog number General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

naphtha (petroleum), hydrodesulphurized heavy

	not required	LC50	fish	10,000	mg/L	-
	not required	EC50	Algae	10,000	mg/L	-
Ecotoxicologica	l effects					
71-36-3	butan-1-ol					
	not required	EC50	Daphnia magna (Big water	1983,000	mg/L	(48h)
	not required	IC50:	Algae	500,000	mg/L	(72h)
Ecotoxicological effects						
64-17-5	ethanol					

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

Article No. Version	5 (09.09.15)			Issue date: Page			09.09.15 7 / 10
	not required	LC50	fish	8150,000	mg/L	48h	
	not required	EC50	Daphnia magna	14221,000	mg/L	48h	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080111* waste paint and varnish containing organic solvents or other dangerous substances

Recommendation

Contaminated packaging

Waste key number Recommendation

Additional information

SECTION 14: Transport information

14.1 UN number

1263

14.2 UN proper shipping name

ADR, ADN Paint related material PAINT RELATED MATERIAL

14.3 Transport hazard class(es)

ADR, ADN 3
IMDG 3
IATA 3

14.4 Packing group

III

14.5 Environmental hazards

Marine Pollutant - IMDG Yes
Marine Pollutant - ADN Yes

14.6 Special precautions for user

Land transport

Code: ADR/RIDF1Kemmler-number30Hazard label ADR3Limited quantities5L

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

Contaminated packaging: Special provisionsPP1Special provisions for packing togetherMP19Portable tanks: InstructionsT2Portable tanks: Special provisionsTP1 - TP29Tank codingLGBFTunnel restrictionD/E

Remarks

EQ E1

Special provisions 163 - 367 - 640E - 650

Inland waterway craft

Hazard label

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

Limited quantities Transport permitted Equipment necessary

Ventilation Remarks

Special provisions

Sea transport

EmS F-E, S-E

Special provisions 163 - 223 - 367 - 955

Limited quantities 5L

Contaminated packaging: Instructions P001 - LP01
Contaminated packaging: Special provisions PP1
IBC: Instructions IBC03
IBC: Provisions Tank instructions IMO Tank instructions UN T2
Tank instructions Special provisions TP1 - TP29

Tank instructions Special provisionsTP1 - TP29Stowage and segregationcategory A

Properties and observations

Remarks

EQ E1

Air transport

 Hazard
 Flammable Liquid

 Passenger
 355 (60L)

 Passenger LQ
 Y344 (10L)

 Cargo
 366 (220L)

 ERG
 3L

 Remarks

EQ E1 Special Provisioning A192

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]
Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

Germany

Storage class

Water Hazard Class 2

WGK catalog number Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

according to Regulation (EC) No. 1907/2006 (REACH)

50 065 - Final varnish

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%] 65 - 68 %

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements Federal Regulations State Regulations

<u>Japan</u>

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.